



12 Volt Drill Driver Kit



12V, 3/8", Compact Drill, 280 lb torque, exclusive belt clip system, 2 speed gear box with all metal gears, 0-400/0-1400 rpm, single sleeve ratcheting chuck, soft grip handle, kit includes: drill, belt clip system, 2 batteries, charger, bit clip and carrying case.

Item #	Description
060222	Milwaukee 12 Volt Drill Driver Kit



14.4 Volt Drill Driver Kit



Includes 14.4 Volt Cordless 1/2" Compact Driver/Drill, two 1.7 Amp-Hr. 14.4 volt batteries (48-11-1014), charger, Clip-Lok® System (48-67-0150), carrying case (48-55-0670), No. 2 Phillips bit, worklight, product manual.

Item #	Description
061222	Milwaukee 14.4 Volt Drill Driver Kit



18 Volt 1/2" Hammer Drill Kit



495 Torque lbs. Soft grip ergonomic handle for improved comfort and control. Patented reversible battery allows drill to fit in tight areas and optimizes balance while working overhead. Clip-Lok belt-clip frees up both hands for work positioning.

Item #	Description
062724	Milwaukee 18 Volt 1/2" Hammer Drill Kit
48112230	Milwaukee 18 Volt 2.4 Amp Battery



1 Hour Car Charge



The One Hour NiCd Power Plus 12 V Automotive Charger will recharge all Milwaukee Power Plus Batteries by plugging into the cigarette lighter in your vehicle. Charges batteries in one hour.

Item #	Description
48590186	Milwaukee Power Plus Universal Vehicle Charger



Multi-Bay Charger



The Multi-Bay Charger charges three Milwaukee battery packs in 45 minutes or less. It has a steel handle and a blow-molded base for impact protection and survives an eight-foot drop to concrete. The Multi-Bay Charger accepts all Milwaukee slide-on style 12, 14.4, and 18 volt batteries and is generator and inverter ready.

Item #	Description
48590260	Milwaukee 120 Volt Multi-Bay Charger



Lithium Powered V28 Drill Driver



1/2" 28-volt lithium-ion cordless hammer drill/driver kit. 600 lbs torque; up to twice the run-time of 18-volt tools. All-metal single-sleeve ratcheting chuck with all carbide jaws; rugged plastic housing. Includes hammer drill/driver, 2 batteries, 1-hour charger, case, belt clip-lock system, side handle, Phillips bit 10-1/2"; 6.7 lbs.

Item #	Description
072424	Milwaukee V28 Cordless 1/2" Hammer Drill Kit



Magnum 1/2 Drill



Milwaukee 1/2" Magnum Drill, 5.5 amp motor, 0-850 rpm. Features include 5.5 amp motor, 0 to 850 rpm, trigger speed control with reversing, heavy-duty industrial chuck, 8'. 3-wire Quik-Lok cord with easy detachment for storage and service, and the exclusive brush cartridge system changes brushes in less than one minute. Includes side handle and chuck key with holder. This heavy-duty Magnum drill is built for industrial/construction applications.

Item #	Description
02346	Milwaukee 1/2" Magnum Drill, 5.5 Amp Motor, 0-850 Rpm

DEWALT 3/4" 375 RPM/REV Drill



AC/DC switch. 10 Amp motor provides power and overload capacity for higher torque applications. Rotating brush ring for full power in forward and reverse. Number 3 taper chuck mount with key drive for the highest reliability. 375 rpm speed is ideal for driving speed reducers, light hoists and power heads. Triple gear reduction provides increased torque and reduces gear stress. Top handle and back handle for improved control in all high torque drilling applications.

Item #	Description
--------	-------------

DW138	DeWalt 3/4" 375 RPM/REV Drill
-------	-------------------------------

DEWALT Impact Wrench



345 lbs of deliverable torque in forward and reverse. 1/2" detent pin anvil. AC/DC forward/reverse rocking switch. Soft grip allows for superior ergonomics. Ball-bearing construction for increased durability.

Item #	Description
--------	-------------

DW292K	DeWalt Heavy-Duty 1/2" Impact Wrench with Kit Box
--------	---

BOSCH 1/2" Dual Torque VSR Hammer Drill Corded



1/2" Hammer Drill Kit, 8A, 0-1000/2600 rpm, 0-16,000/0-41,600 bpm, 2 speed gear box, matches speed & torque to the job dual function control, quickly converts from rotation only to hammer with rotation variable speed & reversing switch, complete control for drilling, driving & removing bits or screws, all ball & roller bearing construction, smooth power transmission & extended tool life.

Item #	Description
--------	-------------

1194AVSR	Bosch 1/2" Dual Torque VSR Hammer Drill- Corded
----------	---

Milwaukee L-Shaped Rotary Hammer



Milwaukee 1-1/8" SDS drive L-Shape rotary hammer drill. Features include Double Insulated construction with 2 wire cord, 1-1/8". Solid bit capacity, 3-1/2". thin wall core bit capacity in concrete or 4 in. capacity in masonry block. Variable speed: 0-980 rpm, 0-4,200 bpm. Powerful 7.4 amp motor provides power for a hard-hitting 2.5' lbs of energy per blow. Three modes of operation. Speed control switch allows operator controlled starts for less bit walk resulting in more accurate holes.

Item #	Description
--------	-------------

536021	Milwaukee 1-1/8" Sds Drive L-Shape Rotary Hammer Drill
--------	--

DEWALT 5/8" VSR Dual Range Hammerdrill Kit 8.5 Amp



DeWalt 1/2" heavy duty VSR dual range hammerdrill. 8.2 Amp motor provides high performance & overload protection. High/low gear for high speed drilling, or high torque applications. Dual mode: hammerdrill/drill for wood, steel or masonry applications. Rubber grip & 2 finger trigger for increased comfort. 360° side handle with depth rod offers greater control, versatility & increased depth accuracy. Lightweight design for less user fatigue. Variable speed allows for precision placement.

Item #	Description
--------	-------------

DW515K	DeWalt 5/8" VSR Dual Range Hammerdrill Kit 8.5 Amp
--------	--

DEWALT Impact Wrench



Compact size & weight allow access into tighter areas and reduces user fatigue. 1,550 lbs of max torque to perform a wide range of fastening applications. 0-2,400 rpm/0-3,000 bpm for faster application speed. Textured ant-slip comfort grip provides maximum comfort. Durable magnesium gear case and all metal transmission for extended durability. Heavy-duty impacting mechanism directs torque to fastener without kickback.

Item #	Description
--------	-------------

DW054K2	DeWalt Heavy Duty 14.4 Volt Impact Driver Kit
---------	---

DEWALT 1/2" Heavy Duty Drill



DeWALT 1/2" 0-850 rpm vsr heavy duty drill 3 wire plug 7.8 amp.

Item #	Description
--------	-------------

DW235G	DeWalt 1/2" 0-850 Rpm VSR Heavy Duty Drill 3 Wire Plug 7.8 Amp
--------	--

CRAFTSMAN Right Angle Air Drill



3/8" super-duty reversible right angle drill. Compact design is great for working in confined automotive or industrial spaces. Heavy-duty 1/2-HP motor produces 1800 rpm (no load speed) with up to 36 lbs of working torque. Lever throttle provides fast start-ups. Forward/reverse button locks into place to prevent accidental directional change. Includes durable 3/8" Jacobs chuck. Average 4.0 SCFM at 90 psi. Imported. Warranted.

Item #	Description
--------	-------------

918514	Craftsman 3/8" X 8" 1800 Rpm Right Angle Air Drill
--------	--



MORSE Master Electricians Kit

Gives You More of An Edge

MK Morse traditional electricians hole saw kit. Bi-metal hole saw electrical kit includes 8 pieces, hole saws 7/8", 1 1/8", 1 3/8", 1 3/4", 2", 2 1/2", Arbors M44 and M45P. Kit weighs 6 lbs.

Item #	Description
AV02E	Morse Master Cobalt Bi-Metal Hole Saw Electricians Kit



DEWALT DeWalt Hole Saws

Unique tooth design/set pattern for improved metal cutting performance and increased durability. M3 steel provides increased wear resistance faster cuts and longer life. Thick hardened backing plates prevent warping at holes. Deep cut style for added versatility.

Item #	Description
D1800(Size)	DeWalt 3/4" - 3" Heavy Duty Hole Saw



DEWALT Square Driver Bits

Shock-resistant tool steel for maximum durability, hardened core for extra strength and long life, heat-treated to resist breakage and wear.

Item #	Description
DW2201B	DeWalt #1 Square Recess Bit
DW2202B	DeWalt #2 Square Recess Bit
DW2203B	DeWalt #3 Square Recess Bit
DW2212B	DeWalt #2 Square Recess Power Bit



DEWALT Socket Adapter

Hardened steel for maximum durability, adapts sockets for use in drills, rapid load system, durable rubber finger grips for comfortable use, impact & rust resistant nickel plated nose, stainless steel interior parts & pressure activated ball groove system for rapid loading & strong retention. provides quick & easy accessory changes without rechucking. Accessories have Hex Shank locking system to prevent slipping.

Item #	Description
DW2542	DeWalt 3/8" Socket Adaptor
DW2541	DeWalt 1/4" Socket Adaptor

DEWALT Driver Set



13 piece, screwdriving set with tough case, contains 1 #1 Phillips 1" insert bit tips, 2 #2 Phillips 1" insert bit tips, 1 #3 Phillips 1" insert bit tips, 2 #8 Slotted 1" insert bit tips, 2 #2 square recess 1" bit tip, 1 #2 Phillips 2" power bit, 1 #2 square recess 2" power bit, 1 #1 Phillips 3-1/2" power bit, 1 #2 square recess 3-1/2" power bit, 1 compact magnetic drive guide.

Item #	Description
DW2160	DeWalt 13 Piece Screwdriving Set



MORSE Cobalt Bi-Metal Hole Saw

Gives You More of An Edge



MK Morse Cobalt Bi-Metal Hole Saw. This premium line of professional quality hole saws features an M3 high-speed steel cutting edge, electron beam welded to a tough steel backer. Caps stand up to abuse and punishment, yet are lighter and easier to use than those of competitors. Positive rake tooth design provides better chip clearance as teeth cut into wood, plastic or any mechanical metal.

Item #	Description
AV(Size)	Morse Cobalt Bi-Metal Hole Saw (Sizes 5/8" - 4-1/2" Diameter)
M24K	Morse Arbor w/Pilot Drill, 1/4" Round, Fits 9/16" - 1-3/16" Saw



MORSE Master Plumber's Saw Kit

Gives You More of An Edge

MK Morse traditional plumbers hole saw kit. Bi-metal hole saw plumbers kit includes 8 pieces, hole saws 3/4", 7/8", 1 1/8", 1 1/2", 1 3/4", 2 1/4", Arbors M44 and M45P. Kit weighs 6 lbs.

Item #	Description
AV04P	Morse Master Cobalt Bi-Metal Hole Saw Plumbers Kit



DEWALT Phillip Driver Bits

Tough quality, professional screwdriver bit, including torsion 'extra grip' ribs.

Item #	Description
DW2001B	DeWalt #1 Phillips 1" Insert Bit Tip
DW2002B	DeWalt #2 Phillips 1" Insert Bit Tip
DW2003B	DeWalt #3 Phillips 1" Insert Bit Tip
DW2022B	DeWalt #2 Phillips 2" Screwdriver Power Bit



DEWALT Slotted Driver Bits

DeWalt's heat treat process guarantees bit hardness that stands up to any job. This advanced hardening process results in a stronger, more durable bit that provides higher torque and increased driving power.

Item #	Description
DW2008	DeWalt #8 Slotted 1" Insert Bit Tip
DW2010	DeWalt #10 Slotted 1" Insert Bit Tip



DEWALT Magnetic Tip Holders

For quick changing of bits. Shock-resistant tool steel for maximum durability. Extra-strength magnet for superior bit retention. Hardened core for extra strength and reduced breakage.

Item #	Description
DW2045B	DeWalt 3" Magnetic Bit Tipholder
DW2222B	DeWalt 5/16" X 2 9/16" Magnetic Socket Driver



IRWIN Fastener Set

Industrial Tools

30 Piece, Fastener drive set. Contains magnetic nutsetters-1/4-5/16-3/8-7/16". 4 double end power bits. 21 contractor grade insert bits.

Item #	Description
357030	Irwin 30 Piece Fastener Drive Tool Set



Standard Drill Sets



Drillco 118° point high speed drill bit set (115 pieces).

Item #	Description
200A0115	Drillco High Speed Drill Bits, 115 Pc., 1/16"-1/2", #1-#60, A-Z
200A13	Drillco High Speed Steel Jobber Drill Bits, 13 Pc., 1/16"-1/4"
200A21	Drillco High Speed Steel Jobber Drill Bits, 21 Pc., 1/16"-3/8"



Pilot Point Drill Bit Set



16 Piece Pilot Point tip starts on contact for clean, accurate holes and reduces lock-up on breakthrough. No-spin shank eliminates the frustration of bit spinning in the chuck. Tapered web provides greater durability to reduce breaking. Size markings are located above the shank to prevent wearing away. Includes: (2) 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 1/4", 5/16", 3/8", and 1/2" bits in DeWalt tough case.

Item #	Description
DW1969	DeWalt 29 Piece Pilot Point Drill Bit Set



Numerical Drill Bit Set



Instead of splintering the fine woods you're working with, use this precision drill bit to start your screw holes. Also handy for the smallest drilling jobs on your to-do list.

Item #	Description
* 99976	Precision Drill Set 1 - 60 with Metal Index & Container
* 99981	Precision Drill Set with Index 61-80

DiVal began business in 1977
-- a year when...



... the Concorde made its first commercial flight from London to New York.



High Speed Fractional Jobber Drill Bit



Drillco 118° point high speed drill bit.

Item #	Description
200B10	Drillco 118 Point, 1/64" - 1/2" High Speed Drill Bit, 3/4" - 6" Long



High Speed Alpha Size Jobber Drill Bit



Drillco 118° point high speed drill bit.

Item #	Description
240B5(Size)	Drillco 118 Point, Size A-Z High Speed Drill Bit, 3 7/8" - 5 1/4" Long



High Speed Wire Size Jobber Drill Bit



Drillco 118° point, wire size high speed drill bit.

Item #	Description
280B0(Size)	Drilco 118° Point, Wire Size 1 - 52 High Speed Drill Bit

Bellhanger Bit



The Milwaukee Bell Hanger Bits are ideal for installing all kinds of small wire systems such as computer, security and phone cable. It provides extra length for extra reach as well as a hole in the tip of the bit to attach the wire to pull back through the wall. One per package.

Item #	Description
48137225	Milwaukee Bellhanger Drill Bit, 1/4" X 18"
48137231	Milwaukee Bellhanger Drill Bit, 5/16" X 18"
48137325	Milwaukee Bellhanger Drill Bit, 1/4" X 24"

Installer Bits



Constructed of premium alloy steel for boring into a variety of materials including wood, plaster, and metal lath.

Item #	Description
39006	Irwin 3/8" X 18" Power Drill Installer Bit
* 39104	Irwin 1/4" X 18" Installer Drill Bit

Plumbers Self Feed Bit Kit



Designed with all the pipe sizes a Plumber needs to drill, this kit includes: 7/8", 1-1/8", 1-1/4" and 1-1/2" auger bits as well as 1-3/4", 2-1/8" and 2-9/16" selffeed bits. A 5-1/2" extension is also included in the impact resistant carrying case. Everything the Plumber needs! Replacement "Case Only" is sold as part number 48-55-0790.

Item #	Description
49224065	Milwaukee 13 Piece Plumber & Electrician Hole Saw Kit

Self Feed Bits



Selffeed woodboring bits cut fast and have great balance. Variety of sizes. Can be used with Milwaukee extensions.

Item #	Description
48251251	Milwaukee Wood Boring Drill Bit 1 1/4"

Bit Extensions



Extend your reach inches when drilling with Milwaukee selffeed bits, auger bits and hole saws. The quick change shank is 7/16" hex. The 7/16" hex fits both 3 jawed chucks, 1/2" drill capacity and larger, as well as 7/16" quick change chucks.

Item #	Description
48284006	Milwaukee 12" Hex Shank Bit Extensions
48284011	Milwaukee 18" Hex Shank Bit Extensions

Contractor Self Feed Bit Kit



This is a complete assortment of the most commonly used Milwaukee selffeed bits for hole drilling. The kit includes 1", 1-1/8", 1-1/4", 1-1/2", 1-3/4", 2-1/8", 2-9/16" diameters and a 5-1/2" extension coupling in an impact resistant carrying case. Replacement "Case Only" is sold as part number 48-55-0775.

Item #	Description
49220130	Milwaukee 7 Piece Contractor Bit Kit with Case

Contractor Self Feed Bit Kit



This Contractor Bit Kit is a more targeted selection of four Self Feed Bits and includes 1-3/8", 1-1/2", 2-1/8" and 2-9/16" for the contractor's big hole drilling needs. This kit also includes the 5-1/2" coupling extension in an impact resistant carrying case. Replacement "Case Only" is sold as part number 48-55-0886.

Item #	Description
49220135	Milwaukee Contractors' Selffeed Bit Kit

D'Versibit System



Fishing wire or cable through existing walls used to be frustrating and time consuming, but the D'VersiBIT has made it as simple as bowing the spring steel shaft in the direction you want to drill and turning on the power. Proven in the field to deliver accurate and professional results in many applications. Bits range from 3/16" to 1" (4.8 to 25.4 mm) in diameter and in shaft length from 12" to 72" (304.8 to 1828.8 mm). The D'VersiBIT System makes it possible to easily accomplish even complex installations. This patented system attaches a quality drill bit to a long flexible spring steel shaft. When used with the placement tool, this flexibility makes it possible to easily manipulate the bit within walls. After drilling, attach a D'VersiGRIP to the hole in the drill and pull wire or cable back through the wall.

Item #	Description
712P	Greenlee D'Versibit Placement Tool
1418D	Greenlee D'Versibit 1/4"X 18" High Speed Steel Drill Bit
080354A	Greenlee Wood Type Auger Bit with Screw Point 1/2" X 3/16" X 54"
090354A	Greenlee Wood Type Auger Bit with Screw Point 9/16" X 3/16" X 54"



Nail Eater II Wood Boring Bits



Patented new design for improved cutting and cleaner holes. Self-feeding screw point draws bit through wood. Unique patented design cutting angle - smoother starts, reduced cutting loads. Made of super tough, heat-treated steel; cuts through nails and provides longer life. Shorty bits - for working in tight places, yet still can go through three abutting 2 x 4s. Use Bit Extensions if more length is required. 18" bits with 15" cutting twist length.

Item #	Description
30921	Greenlee Drill Bit 7/16" Hex, 11/16"Diam., 18"Length, 15"Twist
30923	Nail Eater II Wood Boring Bits, 3/4" Hole Dia, 7/16" Hex Shank
30915	Greenlee Nail Eater II Wood Boring Bit, 1/2" X 18"
30937	Greenlee Nail Eater II Wood Boring Bit, 1-1/4" X 18"
30935	Greenlee Nail Eater II Wood Boring Bit, 1-1/8" X 18"
30931	Greenlee Nail Eater II, Wood Boring Bit, 1" X 18"
30929	Greenlee Nail Eater II, Wood Boring Bit, 15/16" X 18"
30927	Greenlee Nail Eater II Wood Boring Bit, 7/8" X 18"
30925	Greenlee Nail Eater II Wood Boring Bit, 13/16" X 18"
30919	Greenlee Nail Eater II Wood Boring Bit, 5/8" X 18"



Utility Pole Auger Bits



Use in hand bit brace or remove taper shank to use in electric drill. Single spur, cutter and side lip designed for boring through wood where nails may be encountered.

Item #	Description
* 46509	Irwin Auger Bit, 9/16" X 12", with 8" Twist, Square Shank
* 46511	Irwin Auger Bit, 11/16" X 12", with 8" Twist, 5/16" Hex Shank
* 46513	Irwin Auger Bit, 13/16" X 12", with 8" Twist, 5/16" Hex Shank
* 46609	Irwin Auger Bit, 9/16" X 18", with 12" Twist, Square Shank
* 46613	Irwin Auger Bit, 13/16" X 18", with 12" Twist, 5/16" Hex Shank
* 46615	Irwin Auger Bit, 15/16" X 18", with 12" Twist, 5/16" Hex Shank
* 46617	Irwin Auger Bit, 1 1/16" X 18", with 12" Twist, 5/16" Hex Shank



Ratchet Bit Brace



Ratchet bit brace measures 13"L x 6"W x 1.5"D, inner 14.25"L x 7.25"W x 3"D, master 15"L x 15.5"W x 18"D.

Item #	Description
* BR10	Ratchet Bit Brace



Fractional Step Bits



Solid center auger bit with double spur leaves an extremely clean hole. Full length heat treated bit guards against bending in heavy duty applications. A wide variety of sizes are available. Please call for more information.

Item #	Description
10231	Irwin Unibit 1/8" - 1/2" Step Drill Bit For Metal Drilling
10233BIT	Irwin #3 Unibit For 1/4" - 3/4" (1/16" Steps)



Impact Wood Boring Bits



1/2" female square socket bits feature a 15" twist length and are 18" long. Single cutter and side lip is designed to bore holes in wood where nails may be encountered.

Item #	Description
47809	Irwin 9/16" X 18" Special Steel Impact Wrench Drill Bit
47810	Irwin 11/16" X 18" Steel Drill Bit Impact
* 47811	B&A 13/16" X 18" Female Socket 15" Twist Drill Bit



Nail Eater II Impact Bits



Quickly bore through creosoted and salt-treated utility poles. Resists wear, eats through nails and staples. Self-feeding screw point draws the bit through the wood. 7/16" hex shank to fit impact drivers. Available in 18" overall length.

Item #	Description
37868	Greenlee Nail Eater II Drill Bit, 5/8" Hole Diameter
37869	Greenlee Impact Bit 11/16" X 18", 3/4" Hole Diameter
37870	Greenlee Nail Eater II Drill Bit, 7/8" Hole Diameter
* 37871	Greenlee Nail Eater II 15/16", 7/16" Shank Impact Bit, OAL 18"



Hand Brace Auger Bit



Solid center auger bit with double spur leaves an extremely clean hole. Full length heat treated bit guards against bending in heavy duty applications. A wide variety of sizes are available. Please call for more information.

Item #	Description
43611	Irwin Auger Bit, 11/16" X 8 3/8", 4 3/8" Twist



Screw Extractors



Designed to remove broken studs, bolts, socket screws and fittings. Aggressive left hand spiral design for extra gripping power. Spiral flutes are designed to embed themselves deeper into the metal as you turn the tool, so as the fastener resistance increases, the extractor's grip increases. Extractor size and recommended drill bit size are etched on each tool.

Item #	Description
* 52435	Irwin Screw Extractor Kit 1/4" To 3/4"
* 53545	Irwin Spiral Screw Extractor Set- 6 Piece Ex-1 Through Ex-6
* 53401	Irwin Ex-1 Spiral Screw Extractor Use with a 5/64" Drill
* 53402	Irwin Ex-2 Spiral Screw Extractor Use with a 7/64" Drill
* 53404	Irwin Ex-4 Spiral Screw Extractor Use with a 1/4" Drill
* 53405	Irwin Ex-5 Spiral Screw Extractor Use with a 19/64" Drill



Punch Set



Assortment of commonly used Slug-Buster® knockout punches, packaged to meet the contractor's needs. High-impact, rugged plastic carrying case.

Item #	Description
32013	Greenlee Slug Buster Knockout Punch Kit, 1/2"- 1-1/4" Manual



Annular Cutter



3/4" diameter shank-industry standard. Unique tooth geometry, allows for better centering and faster cutting. Thin wall design, enables cutters to cut faster and more efficiently by removing less material during drilling. Ejector pin (44601720) sold separately, would extend 1/2" beyond tooth tip, allowing for easier, faster location of pin on hole.

Item #	Description
49591500	Milwaukee 1 1/2" Diameter X 1" Depth Hss Annular Cutter
49590500	Milwaukee 1/2" Diameter X 1" Depth Hss Annular Cutter
49590562	Milwaukee 9/16" Diameter X 1" Depth Hss Annular Cutter
49590750	Milwaukee 3/4" Diameter X 1" Depth Hss Annular Cutter
49590812	Milwaukee 13/16" Diameter X 1" Depth Hss Annular Cutter
49591062	Milwaukee 1 1/16" Diameter X 1" Depth Hss Annular Cutter
49591125	Milwaukee 1 1/8" Diameter X 1" Depth Hss Annular Cutter
49591312	Milwaukee 1 5/16" Diameter X 1" Depth Hss Annular Cutter
49591375	Milwaukee 1 3/8" Diameter X 1" Depth Hss Annular Cutter



SDS+ Shank Hammer Bit



Single cutter tip hammer bits available in a variety of sizes and lengths.

Item #	Description
20746REL	Relton 1/4" X 6" X 4" SDS+ Shank Hammer Bit
20748	Relton 1/4" X 8" X 6" SDS+ Shank Hammer Bit
20756	Relton 5/16" X 6" X 4" SDS+ Shank Hammer Bit
20786	Relton 1/2" X 6" X 4" SDS+ Shank Hammer Bit
207810	Relton 1/2" X 10" X 8" SDS+ Shank Hammer Bit
207108	Relton 5/8" X 8" X 6" SDS+ Shank Hammer Bit
2071018	Relton 5/8" X 18" X 16" SDS+ Shank Hammer Bit
207128	Relton 3/4" X 8" X 6" SDS+ Shank Hammer Bit
2071214	Relton 3/4" X 14" X 12" SDS+ Shank Hammer Bit



Rotary Rebar Cutters



The answer to drilling through concrete-embedded rebar. No more broken or shattered hammer drill bits. Straight shank.

Item #	Description
RB6	Relton Rotany-Only Rebar Cutter Non-Removable-Shank 3/8" X 8"
RB8	Relton Rotany-Only Rebar Cutter Non-Removable-Shank 1/2" X 12"
RB9	Relton Rotany-Only Rebar Cutter Non-Removable-Shank 9/16" X 12"
RB1218	Morse Bi-Metal Recip Saw Blade 12" 18 tpi Metal, 50/ Tube



7 Piece Drill Set



Relton Corporation SDS and 7 piece drill set with refillable case contains 3/16" x 4", 1/4" x 4", (2) 1/4" x 6", 5/16" x 6", 3/8" x 6", 1/2" x 6".

Item #	Description
207K	Relton SDS+ 7-Piece Drill Set



SDS-Max® Shank



Single Cutter tip percussion drill bits with SDS-max® shank in a variety of sizes.

Item #	Description
MX814	Relton 1/2" X 14" X 8" SDS-Max Shank Hammer Bit Single Cutter
MX818	Relton 1/2" X 18" X 12" SDS-Max Shank Hammer Bit Single Cutter
MX822	Relton 1/2" X 22" X 16" SDS-Max Shank Hammer Bit Single Cutter
MX914	Relton 9/16" X 8" X 14" SDS-Max Shank Hammer Bit
MX1018	Relton 5/8" X 18" X 12" SDS-Max Shank Hammer Bit Single Cutter
MX1022	Relton 5/8" X 22" X 16" SDS-Max Shank Hammer Bit Single Cutter
MX1214	Relton 3/4" X 14" X 8" SDS-Max Shank Hammer Bit Single Cutter
MX1222	Relton 3/4" X 22" X 16" SDS-Max Shank Hammer Bit Single Cutter
MX1618	Relton 1" X 18" X 12" SDS-Max Shank Hammer Bit Single Cutter
MX1822	Relton 1-1/8" X 22" X 16" SDS-Max Shank Hammer Bit Single Cutter



Masonry Drill Bits



Straight- shank premium masonry bits are designed for use in lightweight, rotating vibrating hammers, but can be used equally well in standard drills. Carbide cutting tip.

Item #	Description
* RT46	Relton 1/4" X 6" Carbide Tip Masonry Drill Bit



10 Amp Sawzall



Milwaukee 10 amp Sawzall with case. 10 amp 0-2800 spm variable speed trigger. Quik-Lok blade clamp. Double insulated 3/4 stroke. For plumbing & electrical. Trigger speed control.

Item #	Description
650922	Milwaukee 10 Amp Sawzall with Case



Heavy Duty Reciprocating Saw Kit



Powerful 6.5 amp motor for fast and efficient cutting in the most demanding applications. 0-2,400 strokes per minute for fast and efficient cutting in every application. Lightweight design (6.5 lbs) allows for longer usage without fatigue. Small size (16-3/4" in length) allows for increased cutting access in tight areas. Variable speed of 0-2,400 spm provides fast, efficient cutting and control in every application; 3-year limited warranty.

Item #	Description
DW303K	DeWalt Heavy Duty Reciprocating Saw Kit



18.0 Volt Cordless Reciprocating Saw



DeWalt heavy duty 18 volt cordless reciprocating saw kit. Features 1" stroke length and 2900 spm for fast cutting. Electric brake minimizes risk of blade breakage when exiting plunge cuts. Impact and lightweight; 7.1 lbs. Pivoting shoe with open top for maximum visibility. Blade can be reversed for flush and plunge cutting. Variable speed with trigger lock for increased blade control. Keyless blade clamp.

Item #	Description
DW938	DeWalt 18.0 Volt Cordless Reciprocating Saw



Cut-Out Tool



Tool-free bit change for fast and easy bit changing without a wrench. Turn-on/bump-off switch allows users to easily shut tool off. 5.0 Amp, 30,000 rpm motor provides more cutting power. Slim body design for less fatigue over prolonged use. Dust-sealed switch provides durability and long switch life. Jampot construction provides jobsite durability.

Item #	Description
DW660	DeWalt Cut-Out Tool
DW6605	DeWalt Cut-Out Tool Piloted Drywall Bit, 10 per pack



13 Amp Orbital Super Sawzall Reciprocating Saw



13 amp, Orbital Super Sawzall, Quik-Lok blade clamp, 0-3000 spm, 1-1/4" blade stroke. Counter balanced for smooth operation, gear protecting clutch. Includes impact resistant carrying case.

Item #	Description
653621	Milwaukee 13 Amp Orbital Super Sawzall Reciprocating Saw



18 Volt Reciprocating Saw Kit



18 volt, 2.4 amp-hour Power-Plus battery. 1-inch stroke length for aggressive cutting, 0-2000 strokes per minute. Powerful 18-volt rare earth motor easily handles all Sawzall applications. Cuts up to 72 2x4s on a single charge.

Item #	Description
651527	Milwaukee 18 Volt Recip Saw Kit Battery, case, 2 Blades, Charger



11.5 Amp Tiger Reciprocating Saw



11.8A, Variable Tiger Saw kit, 0-2,600 spm, cuts 1-1/4" stoke, keyless clamp and shoe, orbital cut, cushion grip, rotating back handle, includes case, manual and blade.

Item #	Description
9747	Porter Cable 11.5 Amp Tiger Reciprocating Saw



Reciprocating Saw and Dust Shroud



A top of the line reciprocating saw coupled with a dust free shroud. Connect shroud to a properly filtering vacuum for dust free environment.

Item #	Description
400001	Desco 10 Amp Reciprocating Saw with Dust Shroud

Demolition Blades



Demolition blades are thicker than standard blades thereby preventing breakage. Wider blades add more stability to the cut making it easier to cut a straight line. Reinforced teeth for increased durability when cutting nails and other metals. Specially formulated anti-stick coating minimizes friction and gum build-up. 5 per pack.

Item #	Description
--------	-------------

DW4862	DeWalt 6" 6 tpi Demolition Bi-Metal Recip Saw Blade
DW4863	DeWalt 9" 6 tpi Demolition Bi-Metal Recip Saw Blade
DW4864	DeWalt 6" 10/14 tpi Demolition Bi-Metal Recip Saw Blade
DW4865	DeWalt 8" 10/14 tpi Demolition Bi-Metal Recip Saw Blade

Metal Cutting Blades



Patented tooth design utilizes sharper tooth geometry for faster cuts. Aggressive shank angle increases tooth contact, maintaining cutting speed as blade wears for a longer life. Anti-stick coating reduces friction and gumming. 5 per pack.

Item #	Description
--------	-------------

DW4807	DeWalt 4" 14 tpi Straight Back Bi-Metal Recip Saw Blade
DW4808	DeWalt 6" 14 tpi Straight Back Bi-Metal Recip Saw Blade
DW4809	DeWalt 8" 14 tpi Straight Back Bi-Metal Recip Saw Blade
DW4810	DeWalt 4" 18 tpi Straight Back Bi-Metal Recip Saw Blade
DW4811	DeWalt 6" 18 tpi Straight Back Bi-Metal Recip Saw Blade
DW4821	DeWalt 8" 18 tpi Straight Back Bi-Metal Recip Saw Blade
DW4812	DeWalt 4" 24 tpi Straight Back Bi-Metal Recip Saw Blade
DW4813	DeWalt 6" 24 tpi Straight Back Bi-Metal Recip Saw Blade

Wood Cutting Blades



6 tpi, 6" length, bi-metal construction 1/2" universal tang fits all Sawzalls 5 blades per pouch, fleam filed teeth for extremely sharp, fast cutting with a smooth edge in nail free wood and plastics.

Item #	Description
--------	-------------

48005015	Super Sawzall Bi-Metal Blade 6 tpi, 6" 5 per pack
48005016	Super Sawzall Bi-Metal Blade 6 tpi, 9" 5 per pack
48025031	Super Sawzall Bi-Metal Blade Matrix II Steel, 5/8 tpi, 6"
48025035	Super Sawzall Bi-Metal Blade Matrix II Steel, 6 tpi, 6"
48005012	Super Sawzall Blade Matrix II Steel 6 tpi, 6"
48005017	Super Sawzall Blade Matrix II Steel 6 tpi, 12"
48005035	Super Sawzall Blade Matrix II Steel 6 tpi, 6"
48005036	Super Sawzall Blade Matrix II Steel 6 tpi, 9"
48005037	Super Sawzall Blade Matrix II Steel, 6 tpi, 12"
48005041	Super Sawzall Blade Matrix II Steel, 4/6 tpi, 6"
48008036	Super Sawzall Blade Matrix II Steel 6 tpi, 9"
48016031	Super Sawzall Blade, Matrix II Steel, 5/8 tpi, 6"
48016035	Super Sawzall Blade Matrix II Steel, 6 tpi, 6"
48016036	Super Sawzall Blade Matrix II Steel, 6 tpi, 9"
48016037	Super Sawzall Blade Matrix II Steel, 6 tpi, 12"
48016041	Super Sawzall Blade Matrix II Steel, 4/6 tpi, 6"
48017031	Super Sawzall Blade Matrix II Steel, 5/8 tpi, 6"
48017036	Super Sawzall Blade Matrix II Steel, 6 tpi, 9"
48017037	Super Sawzall Blade Matrix II Steel, 6 tpi, 12"

Wood Cutting Blades



Reinforced teeth for increased durability when cutting through nails and other foreign objects in wood. +6 degree hook angle for fast, aggressive cuts. Anti-stick coating minimizes friction and gum buildup. Raker tooth design increases the tooth contact area for faster cuts.

Item #	Description
--------	-------------

DW4801	DeWalt 6" 6 tpi Taper Back Bi-Metal Recip Saw Blade
DW4802	DeWalt 6" 6 tpi Taper Back Bi-Metal Recip Saw Blade
DW4803	DeWalt 9" 6 tpi Taper Back Bi-Metal Recip Saw Blade
DW4804	DeWalt 12" 6 tpi Taper Back Bi-Metal Recip Saw Blade
DW4847	DeWalt 6" 5/8 tpi Taper Back Bi-Metal Recip Saw Blade

Drywall Cutting Blade



V-Shaped tooth reduces tearing of drywall or plaster. Specially formulated anti-stick coating minimizes friction and gumming. Tough flexible bi-metal design reduces blade breakage.

Item #	Description
--------	-------------

DW4851	DeWalt 6" 6 tpi Plaster Cutting Bi-Metal Recip Saw Blade
--------	--

Tungsten Carbide Blade



Medium and coarse grits for cutting hardwood flooring, cast iron, stainless steel, fiberglass materials, (polyesters, epoxies, melamines), ceramic tile, stone, slate, clay pipe, carbon, brick, plaster, marble, and chalkboard. 9".

Item #	Description
--------	-------------

48001430	Milwaukee Sawzall Tungsten Carbide Blades For Metal, 9"
----------	---

Tapered 9" Bi Metal Blade



Our reciprocating saw blades have the pitch printed on the shank end so that it will not easily wear off - no more guessing the pitch of a used blade. Tapered Blades - Bi-Metal HSS 9" (228mm) 10 tpi, tapered Recip Blade, 20 per box.

Item #	Description
--------	-------------

40333	9" Bi Metal Reciprocating Saw Blade 10 Teeth per Inch
-------	---

Carbide Tip Blade



6" (152 mm) #30 coarse, carbide grit reciprocating blade, 1-pack special-purpose reciprocating saw blades with universal shank.

Item #	Description
--------	-------------

XR6	Carbide Grit Reciprocating Saw Blade 6"
-----	---



McRipper Demo Blades



The Real McRipper Demolition Blades. Another Morse original. Specially designed for the toughest demolition jobs. Cuts all woods, nail-embedded woods and metals.

Item #	Description
RB66206T03	Morse McRipper Recip Saw Blade, Wood/Metal, 6" 6 tpi, 3 per pack



6 tpi Recip Blades



Use for general rough-in, all woods, nail-embedded woods. 3/4" width, .050" blade thickness. 8% Cobalt edge offers more wear resistance. Matrix II cutting edge has shock resistant teeth that resist strippage. Available in a variety of blade thicknesses to meet flexibility and rigidity needs for different applications.

Item #	Description
RB126206	Morse Bi-Metal Recip Saw Blade, 6 tpi Wood/Metal 12" X7/8"X.062
RB606ST	Morse Bi-Metal Recip Saw Blade, 6" 6 tpi Wood Straight, 50/Tube
RC1206T05	Morse Bi-Metal Recip Saw Blade, 12", 6 tpi, Wood, 5 per pack
RB606STT05	Morse Bi-Metal Recip Saw Blade, 6", 6 tpi, Wood/Straight, 5 per pack
RB95006T05	Morse Bi-Metal Recip Saw Blade, 9", 6 tpi, Wood, 5 per pack
RB658T50	Morse Bi-Metal Recip Saw Blade, 6", 5/8 tpi, Wood
W66	Starrett 6" Wood Reciprocating Saw Blade, 6 tpi



14 tpi Recip Blades



These blades are the industries best professional recip blades. They compare with any brand name blades such as Lennox or Milwaukee and are a TBI-metal material; the teeth are HSS cobalt alloy and are welded to a flexible steel back. This makes the blade flexible and long lasting. The 6 tpi blade is designed for nail embedded wood and the 18 tpi blade is for cutting steel. These blades have a universal 1/2" shank so they will fit almost all recip saws on the market.

Item #	Description
RB1214	Morse Bi-Metal Recip Saw Blade 12" 14 tpi Metal, 50/ Tube
RB414	Morse Bi-Metal Recip Saw Blade 4" 14 tpi Metal, 50/ Tube
RB614T05	Morse Bi-Metal Recip Saw Blade, 6", 14 tpi, 5 per pack



Master Cobalt Saw Blades



The best blades in the world for cutting metal, including steel, stainless steel, iron, sheetmetal and pipe. Master Cobalt® technology was painstakingly developed in the Morse Technology Center. Here we have tested the many variables affecting blade life and have discovered a unique combination of features that has tripled the life of standard reciprocating saw blades. These are the longest lasting recip available. They cut more smoothly, more accurately and offer greater value. They are Master Cobalt, available exclusively from M.K. Morse.

Item #	Description
RBMC64218T25	Morse Master Cobalt Recip Saw Blade 6", 18 tpi, 25/ Tube
RBMC94218T25	Morse Master Cobalt Recip Saw Blade 9", 18 tpi, 25/ Tube



Fire and Rescue Blades



Fire & Rescue Blades. When lives are on the line, only the best will do. These are the blades preferred by professional firefighters who know they can count on Morse.

Item #	Description
RBFR66214WT20	Fire & Rescue Blades, 6" X .062" X 7/8", 14 tpi, 20 per pack
RBFR96214WT20	Fire & Rescue Blades, 9" X .062" X 7/8", 14 tpi, 20 per pack
RBFR66210WT20	Fire & Rescue Blades, 6" X .062" X 7/8", 10 tpi, 20 per pack
RBFR96210WT20	Fire & Rescue Blades, 9" X .062" X 7/8", 10 tpi, 20 per pack
RBFR126210WT20	Fire & Rescue Blades, 12" X .062" X 7/8", 10 tpi, 20 per pack
RBFR126214WT20	Fire & Rescue Blades, 12" X .062" X 7/8", 14 tpi, 20 per pack



10 tpi Recip Blades



For cutting of all woods, composition materials, plastic, calst aluminum, light-gauge metals. 3/4" width, .035 blade thickness. 8% Cobalt edge offers more wear resistance. Matrix II cutting edge has shock resistant teeth that resist strippage. Available in a variety of blade thicknesses to meet flexibility and rigidity needs for different applications.

Item #	Description
B610	Morse Bi-Metal Recip Saw Blade, 6", 10 tpi, 50 per pack
RB810	Morse Bi-Metal Recip Saw Blade, 8", 10 tpi Wood/Metal, 50 per pack
RB126210	Morse Bi-Metal Recip Saw Blade 10 tpi Wood/Metal 12"X7/8"X.062
RB41014T05	Morse Bi-Metal Recip Saw Blade, 4", 10/14, tpi Wood/Metal, 5 per pack



18 tpi Recip Blades



MK Morse Bi-Metal reciprocating saw blade.

Item #	Description
RB1218	Morse Bi-Metal Recip Saw Blade 12" 18 tpi Metal, 50/ Tube
RB618T50	Morse Bi-Metal Recip Saw Blade 6" 18 tpi Metal, 50/ Tube
RB65018	Morse Bi-Metal Recip Saw Blade 6" 18 tpi Metal, 50/ Tube
RB818	Morse Bi-Metal Recip Saw Blade 8" 18 tpi Metal, 50/ Tube
RB418T50	Morse Bi-Metal Recip Saw Blade 4", 18 tpi, 50/ Tube
RB65018T05	Morse Bi-Metal Recip Saw Blade 6" 18 tpi, 5 per pack
RB818T05	Morse Bi-Metal Recip Saw Blade 8", 18 tpi, 5 per pack
RB818T50	Morse Bi-Metal Recip Saw Blade 8", 18 tpi, 50/ Tube
RB918T05	Morse Bi-Metal Recip Saw Blade 9", 18 tpi, 5 per pack



6" Right Angle Grinder



The 6160-20 6" 11.0 amp grinder is ideal for cutting and grinding applications. Its compact and light weight design enables cutting and grinding in tight areas. An integrated lock-off button is featured in the paddle switch. The tool is double insulated (two prong cord) and incorporates the industry standard 5/8-11 threaded arbor. The 6160-20 comes equipped with solid state electronics. Like all of Milwaukee's right angle grinders, it also has spiral bevel

gears for optimum transmission of torque to the work piece. The comfortable body grip style is easy to hold onto, and in conjunction with the supplied side handle, allows for maximum operator control. The side handle can be attached in three locations. The wheel guard can be moved around the spindle (without the use of tools) for greatest operator protection.

Item #	Description
616020	Milwaukee 6" Angle Grinder with Paddle Switch 11 Amp



Pnumatic Die Grinder



Kit includes 7 carbide bits and convenient storage case. 1/2 HP motor develops no-load speed of 22,000 rpm. Lock-off lever prevents accidental starts. Rear exhaust keeps debris off work piece.

Item #	Description
919025	Craftsman 7" Grinder Kit with 7 Carbide Bits & Plastic case



4.5" Grinder/Sander & Shroud



Electric 4.5" sanding kit with dust shroud. Kit includes 20 assorted conditioning discs, assorted coated abrasive disc in a heavy duty carrying case.

Item #	Description
150227	Desco Electric 4.5" Sanding Kit with Dust Shroud



Flashplate Grinding System



Mini-flushplate system with dust (system) attachment. System includes: all three hubs (Roto-Peen, hammer hub and cutter hub), tool kit, and a heavy duty non-corrosive carrying case.

Item #	Description
100226	Desco Electric Mini Flushplate System, 2.25", with Dust Attach.



Dust Free Grinder



A dust free mini grinder designed for hard to reach areas. Includes a 3" floating shroud to collect dust.

1402196	Desco 3" Pneumatic Mini-Die Dust Free Grinder
140219	Floating Die Grinder, Dust Free with Convenient Roloc System, 3"



Concrete Grinder



Electric concrete grinder with bullnose dust collection system shroud. Choose either 7" or 4" system.

Item #	Description
2003214	Desco 4" Bullgrinder with Bullnose Dust Shroud
2003217	Desco 7" Bullgrinder with Bullnose Dust Shroud



Walk Behind Concrete Saw



Walk behind air-powered concrete saw designed for breaking out concrete and asphalt. Ideal for joint sawing, floor sawing, trenching, road repair and other cutting applications. Easily portable, 107 lbs, 20" saw blade capacity, 7" cutting depth. Cuts wet or dry.

Item #	Description
CSR150	C.S. Unitec Walk Behind Air Powered Saw, 9.5 Hp



Type 27 1/4" Depressed Center Wheels



General purpose grinding wheels come in 3 different options. A24N is a fast grinding aluminum oxide grain with soft bond for the fast grinding. Works on ferrous metals and low grade stainless steel. A24R is the long life version for general purpose grinding. The most popular style from Sait, good for ferrous metals. A24T is for edge grinding ferrous metals.

Item #	Description
20060	Sait Fast Grinding Wheel A24N 4-1/2" X 1/4" X 7/8"
20160	Sait Fast Grinding Wheel A24N 4-1/2" X 1/4" X 5/8-11"
20081	Sait Fast Grinding Wheel A24N 7" X 1/4" X 7/8"
20085	Sait Fast Grinding Wheel A24N 7" X 1/4" X 5/8-11"
20091	Sait Fast Grinding Wheel A24N 9" X 1/4" X 7/8"
20095	Sait Fast Grinding Wheel A24N 9" X 1/4" X 5/8-11"
20063	Sait Longlife Grinding Wheel A24R 4-1/2" X 1/4" X 7/8"
20163	Sait Longlife Grinding Wheel A24R 4-1/2" X 1/4" X 5/8-11"
20080	Sait Longlife Grinding Wheel A24R 7" X 1/4" X 7/8"
20086	Sait Longlife Grinding Wheel A24R 7" X 1/4" X 5/8-11"
20090	Sait Longlife Grinding Wheel A24R 9" X 1/4" X 7/8"
20096	Sait Longlife Grinding Wheel A24R 9" X 1/4" X 5/8-11"
20065	Sait Longlife Grinding Wheel A24R 4-1/2" X 1/4" X 7/8"



Type 27 C24N Concrete Wheels



Silicon carbide grain, soft bond for fast stock removal. Used on cast iron, other ferrous metals, and concrete. Excellent for grinding masonry, concrete, stone and aggregate. All sizes enforced with the highest quality fiberglass for maximum safety and performance. Super Lock Hub on all wheels is the safest, vibration free design.

Item #	Description
20061	Sait Concrete Wheel C24N 4-1/2" X 1/4" X 7/8"
20161	Sait Concrete Wheel C24N 4-1/2" X 1/4" X 5/8-11"
20082	Sait Concrete Wheel C24N 7" X 1/4" X 7/8"
20087	Sait Concrete Wheel C24N 7" X 1/4" X 5/8-11"
20092	Sait Concrete Wheel C24N 9" X 1/4" X 7/8"
20097	Sait Concrete Wheel C24N 9" X 1/4" X 5/8-11"



Light Grinding/Cutting Wheel



Designed to perform both high performance cutting and light grinding, eliminating the need for 2 separate wheels. Used on stainless steel, high tensile alloys, and ferrous metals (iron, steel, welds, etc). Patented 3M Cubitron grain formulation outlasts standard aluminum oxide wheels. Reinforced with the highest quality fiberglass for maximum safety. Super Lock Hub on all is safest and vibration free.

Item #	Description
22264	United Abrasive Saitech Pipelin Cut & Lt Grind 4-1/2"X1/8"X7/8"



Type 24 High Performance Wheels



Saitech ultimate performance are manufacturer with 3M cubitron grain to outlast standard aluminum oxide wheels. Combines fast stock removal with long life. Designed for stainless steel and other high tensile alloys along with ferrous metals.

Item #	Description
20064	Sait Saitech High Performance Wheel 4-1/2" X 1/4" X 7/8"
20164	Sait Saitech High Performance Wheel 4-1/2" X 1/4" X 5/8-11"
20084	Sait Saitech High Performance Wheel 7" X 1/4" X 7/8"
20089	Sait Saitech High Performance Wheel 7" X 1/4" X 5/8-11"
20094	Sait Saitech High Performance Wheel 9" X 1/4" X 7/8"
20099	Sait Saitech High Performance Wheel 9" X 1/4" X 5/8-11"



Concrete Depressed Center Wheels



Silicon carbide grain for general purpose cutting, hard bond for long life. Works on masonry, concrete, stone, cast iron and other ferrous metals.

Item #	Description
22025	Sait Concrete Wheel C24R 4-1/2" X 3/32" X 7/8"
22125	Sait Concrete Wheel C24R 4-1/2" X 3/32" X 5/8-11"
22050	Sait Concrete Wheel C24R 7" X 1/8" X 7/8"
22051	Sait Concrete Wheel C24R 7" X 1/8" X 5/8-11"
22060	Sait Concrete Wheel C24R 9" X 1/8" X 7/8"
22061	Sait Concrete Wheel C24R 9" X 1/8" X 5/8-11"



Ferrous Cutting Wheels



Type 27 depressed center A60S general purpose fast burr-free cutting for ferrous metals. So unique it has a patent. Thin .045" width.



General Purpose Cutting Wheels



A24R general purpose aluminum oxide grain wheels combines fast cutting and low cost for ferros metals.

Item #	Description
22020	Sait General Purpose Cut Wheel A24R 4-1/2" X 3/32" X 7/8"
22056	Sait General Purpose Cut Wheel A24R 7" X 3/32" X 7/8"
22066	Sait General Purpose Cut Wheel A24R 9" X 3/32" X 7/8"



Non Ferrous Cutting Wheels



Type 27 depressed center A46N aluminum oxide grain. Use on non-ferrous metals such as: aluminum, copper, and brass. Thin .045 width.

Item #	Description
22345	Sait Type 27 Cutting Wheel Non Ferrous 4-1/2" X .045" X 7/8"



Saitech Cutting Wheel



For cutting ferrous and stainless steel metals. Thin .045" width.

Item #	Description
22072	Sait Type 27 Cutting Wheel Ferrous 4-1/2" X .045" X 7/8"

Item #	Description
22011	Sait General Purpose Cut Off Wheel, 4" X .045" X 5/8"
22021	Sait General Purpose Cut Off Wheel, 4-1/2" X .045" X 7/8"
22071	Sait General Purpose Cut Off Wheel, 5" X .045" X 7/8"
22047	Sait General Purpose Cut Off Wheel, 6" X .045" X 7/8"
22053	Sait General Purpose Cut Off Wheel, 7" X .045" X 7/8"



Type 1 Ferrous Cutting Wheels



Type 1 flat center A60S general purpose fast burr-free cutting for ferrous metals. So unique it has a patent. Thin .045" width.

Item #	Description
23101	Sait Thin Cutoff Wheel, 4-1/2" X .045" X 7/8", 50 per box
23103	Sait Thin Cutoff Wheel, 5" X .045" X 7/8", 50 per box
23105	Sait Thin Cutoff Wheel, 6" X .045" X 5/8", 50 per box
23106	Sait Thin Cutoff Wheel, 6" X .045" X 7/8", 50 per box
23107	Sait Thin Cutoff Wheel, 7" X .045" X 5/8", 50 per box
23099	Sait Thin Cutoff Wheel, 4" X .045" X 5/8", 50 per box



Cup Brushes



Large note wire cup brushes for low to medium flexibility and aggressive cutting action. 4" diameter cups with single row of wire. Max speed 9000 rpm.

Item #	Description
--------	-------------

03407SAIT	Sait 4" X .020" X 5/8-11" Knotted Wire Cup Brush
03406SAIT	Sait 4" X .020" X 5/8-11" Knotted Wire Cup Brush S/S



Crimped Wire Brushes



Crimped wire has a higher flexibility for light clearing and removal, specially on irregular surfaces.

Item #	Description
--------	-------------

09551	Sait 4" X .020" X 5/8-11" Crimped Wire Cup Brush
09552	Sait 5" X .020" X 5/8-11" Crimped Wire Cup Brush
09553	Sait 6" X .020" X 5/8-11" Crimped Wire Cup Brush
09554	Sait 5" X .020" X 5/8-11" Crimped Wire Cup Brush



Wire Brushes



Kiefer domestic curved handle wire brush. 3 x 19 rows, 12 per box.

Item #	Description
--------	-------------

BW103	13" Wire Brush
* 10K	Kiefer Domestic Curved Handle Wire Brush- 3 X 19 Rows, 12 per box



Stainless Steel Wire Brush



Stainless steel wire detail brush with wooden handle.

Item #	Description
--------	-------------

WH37SS	Stainless Steel Wire Detail Brush, 7 1/2" X 1/2"
BW9112	Eagle Stainless Shoe Handle Wire Brush, 10" X 1 1/16"



Regular Twist Wire Brushes.



Sait knotted wire wheel, 6 per pack.

Item #	Description
--------	-------------

03460	Sait 4" X .020" X 5/8-11" Knotted Wire Wheel 6 per pack
03431	Sait 4" X .014" X 5/8-11" Knotted Wire Wheel S/S 6 per pack
03461	Sait 4" X .020" X 5/8-11" Knotted Wire Wheel S/S 6 per pack



Stringer Bead Wire Wheels



Excellent for weld, flux removal and where a narrow work face is required.

Item #	Description
--------	-------------

03440	Sait 4" X .020" X 5/8-11" Stringer Bead Carbon Wire Wheel
03380	Sait 5" X .020" X 5/8-11" Stringer Bead Carbon Wire Wheel



Sanding Discs



4S/4V premium serrated aluminum oxide sanding discs. PSA discs without vacuum holes. 5" diameter.

Item #	Description
--------	-------------

37505SAIT	Sait 5" 80 Grit 4S Psa Prem. A/O Paper Sanding Disc
37507	Sait 5" 120 Grit 4S Psa Prem. A/O Paper Sanding Disc
37510	Sait 5" 220 Grit 4S Psa Prem. A/O Paper Sanding Disc
37512	Sait 5" 400 Grit 4S Psa Prem. A/O Paper Sanding Disc



Sandpaper



Duraline 9" X 11", 80 and 120 grit garnet sandpaper. Primarily used for wood. 50 per box.

Item #	Description
--------	-------------

80GRIT	Duraline 80 Grit Sandpaper, 9" X 11", 50 per pack
120GRIT	Duraline 120 Grit Sandpaper, 9" X 11", 50 per pack

DEWALT Circular Saw



Innovative high strength base will withstand a 1-story drop. 9.8 lb lightweight tool designed to reduce user fatigue and increase productivity. 15 amp, 2,200 mwo motor powerful enough for the toughest applications. 56° beveling capacity with stops at 45° and 22.5° allows for aggressive bevel cuts while allowing user to locate common angles quickly. Clear line of sight aids in blade visibility from any angle. Electric brake stops blade after use. Lower guard design improves performance when making bevel cuts and cutting shims.

Item #	Description
DW359	DeWalt 7-1/4" Light Weight Circular Saw
DW3571	DeWalt 7-1/4" 16 Tooth Carbide Tipped Circular Saw Blade

UNITED ABRASIVES, INC. Iron Worker™ Chop Saw Wheels



Fast cutting of angle iron, channel iron and other ferrous metals.

Item #	Description
24051	Sait Iron Worker Chop Saw Wheel 14" X 3/32" X 1"
24031	Sait Iron Worker Chop Saw Wheel 12" X 3/32" X 1"

We'd like you to know that...



... our Annual DiVal Safety Expo has been running strong for more than a decade now in Buffalo, Rochester and Syracuse, NY. Each year, it follows on the heels of the National Safety Expo so you don't have to travel thousands of miles to see what's new and exciting in the world of safety.

DEWALT Chop Saw

Powerful 15.0 amp/5.5 HP (maximum motor HP) motor provides more overload capacity, increasing performance and durability. Quick-Change blade change system increases productivity by providing the user the ability to change wheels without a wrench. Patented Quick-Fence? tool-free, 45° adjustable fence allows for fast and accurate angle cuts without using a wrench. Quick-Lok vise allows for fast clamping on different size materials to increase productivity. Soft start extends gear and motor life by reducing start up torque. Ergonomically designed "D" handle provides a more comfortable hand position reducing user fatigue and increasing productivity. Extra wide solid steel base provides increased stability when cutting longer material.



Item #	Description
D28715	DeWalt 14" Abrasive Chop Saw

UNITED ABRASIVES, INC. Stud King® Chop Saw Wheels



Aluminum oxide grain general purpose cool cutting on thin metals for a burr-free finish. 3/32" width.

Item #	Description
24030	Sait Stud King Chop Saw Wheel, 12" X 3/32" X 1"

MORSE Diamond Blades

Gives You More of An Edge



Tiger Tooth multipurpose blade with electroplated core for wood, plastic, steel, concrete, masonry and ductile pipe.

Item #	Description
156245	MK Diamond 12" X 1/8" Concrete Masonry Diamond Blade
162716	MK Diamond Tigertooth Gp 12" X .125" X 1 1/20 mm Diamond Blade

CRAFTSMAN Horizontal 20 gallon Compressor



5 HP Honda GC gas engine power supply, so you're not limited to electric power availability. 20 gallon ASME certified tank for safe operation. 150 psi maximum working pressure.

Item #	Description
915726	Craftsman Gas 5.0 HP 20 Gal Heavy Duty Gas Compressor

CRAFTSMAN Horizontal 25 gallon Compressor



New 150 psi for longer tool operation. Dual capacitor 2 HP (running) motor with manual thermal overload protection for added safety and reliability in low voltage conditions.

Item #	Description
919541	Craftsman Electric 6.0 HP 25 Gal Oilube Air Compressor

CRAFTSMAN 1/2" One-Touch Drill



One-touch forward/reverse switch over trigger. Polyurethane grip provides added comfort during continuous operation. Thru handle exhaust directs dust and debris away from Work Surface. Average 4.0 SCFM at 90 psi. 1/4" NPT air inlet. Imported. Warranted.

Item #	Description
919912	Craftsman 1/2" Air Drill

CRAFTSMAN Impact Hammer



.401" chisel shank opening accepts a variety of chisel head designs. Hardened alloy steel barrel for long tool life. Durable, lightweight polymer housing reduces vibration and fatigue. Spring retainer for quick, simple chisel changes. Delivers 3,000 blows per minute for fast, no hassle cutting and hammering. Applications include chipping, riveting, piercing, trimming, cutting, and peening. 2-5/8" stroke, 90 psi recommended air pressure, 4 cfm average air consumption, 3/8" hose size. Always use hardened chisel bits with .401 shank.

Item #	Description
919897	Craftsman Air Impact Hammer 3000 bpm

CRAFTSMAN Electric Side Stack Air Compressor



Craftsman electric 3.0 HP 4 gallon side stack air compressor.

Item #	Description
916746	Craftsman Electric 3.0 HP 4 Gal Side Stack Air Compressor

CRAFTSMAN 5" Professional Angle Grinder



Accepts grinding wheels from 4-1/2 to 5". 3/4 HP motor provides 13,500 RPM (no load speed). Lever throttle controls power output for more precise operation. It allows teasing from feather-edging to full-speed grinding. Side handle helps provide better control of tool. 5/8 11 spindle. 1/4" air inlet. 3/8" inside diameter hose is recommended. Average 12.0 SCFM at 90 psi. Imported. Warranted.

Item #	Description
919911	Craftsman 4-1/2" Angle Air Grinder

CRAFTSMAN Right Angle Drill



3/8" X 8". Super-duty reversible right angle drill. Compact design is great for working in confined automotive or industrial spaces. Heavy-duty 1/2-HP motor produces 1800 RPM (no load speed) with up to 36" lbs of working torque. Lever throttle provides fast start-ups. Forward/reverse button locks into place to prevent accidental directional change. Includes durable 3/8". Jacobs Chuck. Average 4.0 SCFM at 90 psi. Imported. Warranted.

Item #	Description
918514	Craftsman 3/8" X 8" 1800 rpm Right Angle Air Drill

DESCO Needle Gun Kit with Shroud



Desco model 24 pistol grip needle gun system.

Item #	Description
1302246	Desco Model 24 Pistol Grip Needlegun System